

# Giving Shape to Ideas





Up to 22 ppm print/copy output to keep pace with rising demands Color display with quick tablet-like interface Touchscreen for simple control and 3rd-party software integration Standard web browser to support web-based apps Built-in Emperon® print system, universal printer drivers Simitri® HD polymerized toner for high-resolution imaging Standard 250 GB HDD for on-board document storage Meets ISO 15408 and IEEE 2600.1 Security standards Power-saving design with quick recovery from sleep mode 3,600-sheet maximum capacity, tab printing support, carbon-copy printing Advanced authentication, secure print release, remote firmware updates Options for booklet-making, stapling, hole punch and more Downloadable apps to help you work faster and smarter i-Options to add functions for working more efficiently Low power consumption to cut costs Mobile printing support (AirPrint, Google Cloud Print, NFC)

# bizhub 227

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER







## bizhub 227

As easy as a familiar tablet, the enhanced touch-and-swipe interface of the bizhub 227 helps make you more productive — with 22 ppm output in high-resolution B&W, scanning in color or B&W at up to 45 originals per minute, 3,600-sheet maximum paper capacity and economical, high-value performance.

		view

System memory         4 GB           System hard disk         250 GB           Interface         10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0           Network protocols         TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS           Frame types         Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP           Reversing automatic document feeder (optional)         Up to 100 originals / 5.5" x 8.5" to 11" x 17" / 50-128 gsm           Printable paper size         Scanning/Copying: up to 11" x 17" / Eustom paper sizes           Printable paper weight         60-220 gsm           Paper input capacity         Standard: 1,100 sheets / Max.: 3,600 sheets           Paper input capacity         Standard: 1,100 sheets / 5.5" x 8.5" to 8.5" x 14" / 60-220 gsm           Tray 1         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 2 (optional)         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray         2,500 sheets / 5.5" x 8.5" to 11" x 17" / custom paper sizes / 60-220 gsm           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Max. in this her: 3,300 sheets         Max. with finisher: 3,300 sheets           Max. in	System Overview		
Interface	System memory	4 GB	
Network protocols   TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS	System hard disk	250 GB	
Frame types  Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP  Reversing automatic document feeder (optional)  Printable paper size  Scanning/Copying: up to 11" x 17" Custom paper sizes  Printing: up to 11" x 17" Custom paper sizes  Printable paper weight 60-220 gsm  Paper input capacity Tray 1 500 sheets / 5.5" x 8.5" to 8.5" x 14" / 60-220 gsm  Tray 2 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Tray 3 (optional) 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Tray 4 (optional) 2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm  Tray 4 (optional) 2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  2,500 sheets / 8.5" x 11" / 60-220 gsm  2,500 sheets / 8.5" x 11" x 17" / 60-220 gsm  Finishing modes  Offset, group, sort, punch, half-fold, tri-fold, booklet  Output capacity Max. with finisher: 3,300 sheets Max. without finisher: 250 sheets  Stapling (optional)  Max: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Max: 1,000 sheets  Tri-fold (optional)  Max: 30 sheets  Tri-fold (optional)  Max: 30 sheets  Tri-fold (optional)  Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Max:: 100 sheets (tray)  Booklet (optional)  Max:: 100 sheets (tray)  Booklet output  capacity  Toner lifetime  23,000 pages  Imaging unit lifetime  Power consumption  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)	Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0	
Printable paper size	Network protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS	
Description   Company   Company	Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP	
Printing: up to 11" x 17" Custom paper sizes  Printable paper weight 60-220 gsm  Paper input capacity Standard: 1,100 sheets / Max.: 3,600 sheets  Tray 1 500 sheets / 5.5" x 8.5" to 8.5" x 14" / 60-220 gsm  Tray 2 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Tray 3 (optional) 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Tray 4 (optional) 2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Tray 4 (optional) 2 x 500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm  PC-413 (optional)  Manual bypass 100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm  Pinishing modes 0ffset, group, sort, punch, half-fold, tri-fold, booklet 0utput capacity Max. with out finisher: 3,300 sheets Max. without finisher: 250 sheets  Stapling (optional) Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Max.: 1,000 sheets  Tri-fold (optional) Up to 3 sheets  Tri-fold (optional) Max.: 30 sheets (tray)  Booklet (optional) Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Max.: 100 sheets (tray)  Copy/print volume Max.: 100,000 pages/month¹  Toner lifetime 23,000 pages  Imaging unit lifetime 85,000 pages / 590,000 pages (Drum / Developer)  Power consumption 23.0" x 26.0" x 28.9" (W x D x H)	document feeder	Up to 100 originals / 5.5" x 8.5" to 11" x 17" / 50-128 gsm	
Paper input capacity         Standard: 1,100 sheets / Max.: 3,600 sheets           Tray 1         500 sheets / 5.5" x 8.5" to 8.5" x 14" / 60-220 gsm           Tray 2         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 3 (optional)         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray         PC-413 (optional)           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Finishing modes         Offset, group, sort, punch, half-fold, tri-fold, booklet           Output capacity         Max. with finisher: 3,300 sheets           Max. without finisher: 250 sheets           Stapling (optional)         Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)           Stapling output         Max.: 1,000 sheets           capacity         Max.: 30 sheets           Tri-fold (optional)         Up to 3 sheets           Tri-fold capacity         Max.: 30 sheets (tray)           Booklet (optional)         Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)           Booklet output         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹	Printable paper size	Printing: up to 11" x 17"	
Tray 1         500 sheets / 5.5" x 8.5" to 8.5" x 14" / 60-220 gsm           Tray 2         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 3 (optional)         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray PC-413 (optional)         2,500 sheets / 8.5" x 11" / 60-220 gsm           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Finishing modes         Offset, group, sort, punch, half-fold, tri-fold, booklet           Output capacity         Max. with finisher: 3,300 sheets           Max. with finisher: 250 sheets           Stapling (optional)         Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)           Stapling output capacity         Max.: 1,000 sheets           Tri-fold (aptional)         Up to 3 sheets           Tri-fold capacity         Max.: 30 sheets (tray)           Booklet (optional)         Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)           Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages /	Printable paper weight	60-220 gsm	
Tray 2         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 3 (optional)         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray PC-413 (optional)         2,500 sheets / 8.5" x 11" / 60-220 gsm           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Finishing modes         0ffset, group, sort, punch, half-fold, tri-fold, booklet           Output capacity         Max. with finisher: 3,300 sheets           Max. with finisher: 250 sheets           Stapling (optional)         Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)           Stapling output capacity         Max.: 1,000 sheets           Tri-fold (apacity         Max.: 30 sheets           Tri-fold capacity         Max.: 30 sheets (tray)           Booklet output capacity         Max.: 100 sheets (tray)           Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         23.0" x 26.0" x 28.9" (W x D x H)	Paper input capacity	Standard: 1,100 sheets / Max.: 3,600 sheets	
Tray 3 (optional)         500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm           Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray PC-413 (optional)         2,500 sheets / 8.5" x 11" / 60-220 gsm           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Finishing modes         Offset, group, sort, punch, half-fold, tri-fold, booklet           Output capacity         Max. with finisher: 3,300 sheets           Max. without finisher: 250 sheets           Stapling (optional)         Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)           Stapling output capacity         Max.: 1,000 sheets           Tri-fold (optional)         Up to 3 sheets           Tri-fold capacity         Max.: 30 sheets (tray)           Booklet (optional)         Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)           Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         23.0" x 26.0" x 28.9" (W x D x H)	Tray 1		
Tray 4 (optional)         2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm           Large capacity tray PC-413 (optional)         2,500 sheets / 8.5" x 11" / 60-220 gsm           Manual bypass         100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm           Automatic duplexing         5.5" x 8.5" to 11" x 17" / 60-220 gsm           Finishing modes         Offset, group, sort, punch, half-fold, tri-fold, booklet           Output capacity         Max. with finisher: 3,300 sheets           Max. without finisher: 250 sheets           Stapling (optional)         Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)           Stapling output capacity         Max.: 1,000 sheets           Tri-fold (optional)         Up to 3 sheets           Tri-fold capacity         Max.: 30 sheets (tray)           Booklet (optional)         Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)           Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         23.0" x 26.0" x 28.9" (W x D x H)	Tray 2		
Large capacity tray PC-413 (optional)  Manual bypass 100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm  Automatic duplexing 5.5" x 8.5" to 11" x 17" / 60-220 gsm  Finishing modes Offset, group, sort, punch, half-fold, tri-fold, booklet  Max. with finisher: 3,300 sheets Max. without finisher: 250 sheets  Stapling (optional) Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Stapling output capacity Tri-fold (optional) Up to 3 sheets Tri-fold capacity Max.: 30 sheets (tray)  Booklet (optional) Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Booklet output capacity Copy/print volume Max.: 100,000 pages/month¹ Toner lifetime 23,000 pages Imaging unit lifetime Power consumption  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)	Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 60-220 gsm	
PC-413 (optional)  Manual bypass  100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm  Automatic duplexing  5.5" x 8.5" to 11" x 17" / 60-220 gsm  Finishing modes  Offset, group, sort, punch, half-fold, tri-fold, booklet  Max. with insher: 3,300 sheets  Max. without finisher: 250 sheets  Stapling (optional)  Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Stapling output  capacity  Tri-fold (optional)  Up to 3 sheets  Tri-fold capacity  Max.: 30 sheets (tray)  Booklet (optional)  Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Booklet output  capacity  Copy/print volume  Max.: 100,000 pages/month¹  Toner lifetime  23,000 pages  Imaging unit lifetime  Power consumption  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)	Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 60-220 gsm	
Automatic duplexing  5.5" x 8.5" to 11" x 17" / 60-220 gsm  Finishing modes  Offset, group, sort, punch, half-fold, tri-fold, booklet  Max. with finisher: 3,300 sheets  Max. without finisher: 250 sheets  Stapling (optional)  Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Stapling output capacity  Tri-fold (optional)  Up to 3 sheets  Tri-fold capacity  Max.: 30 sheets (tray)  Booklet (optional)  Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Booklet output capacity  Max.: 100 sheets (tray)  Copy/print volume  Max.: 100,000 pages/month¹  Toner lifetime  23,000 pages  Imaging unit lifetime  85,000 pages / 590,000 pages (Drum / Developer)  Power consumption  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)		2,500 sheets / 8.5" x 11" / 60-220 gsm	
Finishing modes Offset, group, sort, punch, half-fold, tri-fold, booklet Output capacity Max. with finisher: 3,300 sheets Max. without finisher: 250 sheets Stapling (optional) Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm) Stapling output Capacity Max.: 1,000 sheets Capacity Tri-fold (optional) Up to 3 sheets Tri-fold capacity Max.: 30 sheets (tray) Booklet (optional) Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm) Max.: 100 sheets (tray) Copy/print volume Max.: 100,000 pages/month¹ Toner lifetime 23,000 pages Imaging unit lifetime 85,000 pages / 590,000 pages (Drum / Developer) Power consumption 120 V / 50/60 Hz, less than 1.5 kW (system) System dimensions 23.0" x 26.0" x 28.9" (W x D x H)	Manual bypass	100 sheets / 4" x 6" to 11" x 17" / custom paper sizes / 60-220 gsm	
Output capacity  Max. with finisher: 3,300 sheets Max. without finisher: 250 sheets  Stapling (optional)  Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Stapling output capacity  Tri-fold (optional)  Up to 3 sheets  Tri-fold capacity  Max.: 30 sheets (tray)  Booklet (optional)  Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Max.: 100 sheets (tray)  Copy/print volume  Max.: 100,000 pages/month¹  Toner lifetime  23,000 pages  Imaging unit lifetime  85,000 pages / 590,000 pages (Drum / Developer)  Power consumption  120 V / 50/60 Hz, less than 1.5 kW (system)  System dimensions	Automatic duplexing	5.5" x 8.5" to 11" x 17" / 60-220 gsm	
Max. without finisher: 250 sheets  Stapling (optional)  Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)  Stapling output capacity  Tri-fold (optional)  Dy to 3 sheets  Tri-fold capacity  Max.: 30 sheets (tray)  Booklet (optional)  Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Booklet output capacity  Copy/print volume  Max.: 100 sheets (tray)  Copy/print volume  Max.: 100,000 pages/month¹  Toner lifetime  23,000 pages  Imaging unit lifetime  85,000 pages / 590,000 pages (Drum / Developer)  Power consumption  120 V / 50/60 Hz, less than 1.5 kW (system)  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)	Finishing modes	Offset, group, sort, punch, half-fold, tri-fold, booklet	
Stapling output capacity  Tri-fold (optional)  Tri-fold capacity  Max.: 1,000 sheets  Wax.: 30 sheets  Wax.: 30 sheets (tray)  Booklet (optional)  Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  Booklet output capacity  Copy/print volume  Max.: 100,000 pages/month¹  Toner lifetime  23,000 pages  Imaging unit lifetime  85,000 pages / 590,000 pages (Drum / Developer)  Power consumption  120 V / 50/60 Hz, less than 1.5 kW (system)  System dimensions  23.0" x 26.0" x 28.9" (W x D x H)	Output capacity		
capacity Tri-fold (optional) Up to 3 sheets Tri-fold capacity Max.: 30 sheets (tray) Booklet (optional) Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm) Booklet output capacity Copy/print volume Max.: 100,000 pages/month¹ Toner lifetime 23,000 pages Imaging unit lifetime 85,000 pages / 590,000 pages (Drum / Developer) Power consumption 120 V / 50/60 Hz, less than 1.5 kW (system) System dimensions 23.0" x 26.0" x 28.9" (W x D x H)	Stapling (optional)	Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)	
Tri-fold capacity   Max.: 30 sheets (tray)	3 · · · · ·	Max.: 1,000 sheets	
Booklet (optional)         Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)           Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         120 V / 50/60 Hz, less than 1.5 kW (system)           System dimensions         23.0" x 26.0" x 28.9" (W x D x H)	Tri-fold (optional)	Up to 3 sheets	
Booklet output capacity         Max.: 100 sheets (tray)           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         120 V / 50/60 Hz, less than 1.5 kW (system)           System dimensions         23.0" x 26.0" x 28.9" (W x D x H)		Max.: 30 sheets (tray)	
capacity           Copy/print volume         Max.: 100,000 pages/month¹           Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         120 V / 50/60 Hz, less than 1.5 kW (system)           System dimensions         23.0" x 26.0" x 28.9" (W x D x H)	Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)	
Toner lifetime         23,000 pages           Imaging unit lifetime         85,000 pages / 590,000 pages (Drum / Developer)           Power consumption         120 V / 50/60 Hz, less than 1.5 kW (system)           System dimensions         23.0" x 26.0" x 28.9" (W x D x H)		Max.: 100 sheets (tray)	
Imaging unit lifetime	Copy/print volume	Max.: 100,000 pages/month <sup>1</sup>	
Power consumption         120 V / 50/60 Hz, less than 1.5 kW (system)           System dimensions         23.0" x 26.0" x 28.9" (W x D x H)	Toner lifetime	23,000 pages	
<b>System dimensions</b> 23.0" x 26.0" x 28.9" (W x D x H)	Imaging unit lifetime	85,000 pages / 590,000 pages (Drum / Developer)	
,	Power consumption	120 V / 50/60 Hz, less than 1.5 kW (system)	
System weight Approx. 124.6 lb	System dimensions	23.0" x 26.0" x 28.9" (W x D x H)	
	System weight	Approx. 124.6 lb	

Copier Spec	ifications
-------------	------------

Copying process	Electrostatic laser copy, tandem
Toner system	Simitri® HD Polymerized Toner
Print speed (8.5" x 11")	Up to 22 ppm (Portrait)
Print speed (11" x 17")	Up to 14 ppm
Auto-duplex speed	Up to 22 ppm (Portrait)
(8.5" x 11")	
1st copy out time	5.3 sec.
Warm-up time	Approx. 15 sec. <sup>2</sup>
Copy resolution	600 x 600 dpi
Gradations	256 gradations
Multi-copy	1-9,999
Original format	Up to 11" x 17"
Magnification	25-400% in 0.1% steps, auto zooming
Copy functions	Electronic sorting, multi-job, adjustments (contrast, sharpness, image
	density), proof copy, interrupt mode, color mode, separate scan,
	sort/group, combination, original selection, ID card copy, 2-in-1, 4-in-1

### **Printer Specifications**

Print resolution	1,800 (equivalent) x 600 dpi
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS
Operating systems	Windows (x32/x64): XP / Vista / 7 / 8 Windows Server (x32/x64): 2003 / 2008 / 2008 R2 <sup>3</sup> / 2012 <sup>3</sup> Macintosh OS X 10.2.8 or later UNIX / Linux / Citrix
Printer fonts	80 PCL Latin, 137 PostScript 3
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print

### **Scanner Specifications**

Scan speed	B&W / Color: up to 45 ipm		
Scan resolution	Max.: 600 x 600 dpi		
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan		
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)		
Scan destinations	2,100 (shared with fax), LDAP support		
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview		

### **Fax Specifications**

Fax	Super G3 (optional)	
Transmission	Analog, i-Fax, Color i-Fax, IP-Fax	
Resolution	Max.: 600 x 600 dpi (ultra-fine)	
Compression	MH, MR, MMR, JBIG	
Modem	Up to 33.6 Kbps	
Destinations	2,100 (single + group)	
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Fmail/FTP/SMB, up to 400 job programs	

#### **User Box Specifications**

ooo. Don opoomounomo			
Storable documents	Max.: 3,000 documents or 10,000 pages		
Type of user boxes	Public		
	Personal (with password or authentication)		
	Group (with authentication)		
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling, annotation		
User box functionality	Reprint, combination, download, sending (Email/FTP/SMB and fax),		
	copy box-to-box		

### **System Features**

ISO 15408 EAL
IEEE 2600.1
IP filtering and port blocking
SSL2, SSL3 and TSL1.0 network communication
IPsec support
IEEE 802.1x support
User authentication
Authentication log
Secure print
Hard disk overwrite (8 standard types)
Hard disk data encryption (AES 128)
Memory data auto deletion
Confidential fax reception
Print user data encryption
Copy protection (Copy Guard, Password Copy) optional
Up to 1,000 user accounts
Active Directory support
(user name + password + Email + SMB folder)
User function access definition
Optional Biometric authentication (finger vein scanner)
Optional ID card authentication (ID card reader)
PageScope Net Care Device Manager
PageScope Data Administrator
PageScope Box Operator
Print Status Notifier
Driver Packaging Utility
Log Management Utility

<sup>Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis.
This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs 2 Warm-up time may vary depending on the operating environment and usage
3 Supports x64 only</sup> 

Components and Options	s	
AU-102 Biometric	Finger vein scanner	
authentication		
AU-205H Universal	Various ID card technologies	
ID card reader		
EK-608 USB I/F kit	USB keyboard connection	
EK-609 USB I/F kit	USB keyboard connection, Bluetooth	
DF-628	Reversing automatic document feeder, capacity 100 originals	
Document feeder		
DK-513 Copier desk	Provides storage space for print media and other materials	
FK-513 Fax board	Super G3 fax, digital fax functionality	
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output (requires MK-602)	
FS-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output (requires RU-514)	
FS-534 + SD-511	50-sheet staple finisher, 20-sheet booklet finisher,	
Booklet finisher	3,300 sheets max. output (requires RU-514)	
JS-506 Job separator	Separation for fax output, etc.	
KH-102	To place USB keyboard	
Keyboard holder	To place deb hojocard	
KP-101 10-Key pad	For use instead of touchscreen	
LK-102 v3	PDF/A, PDF encryption, digital signature	
PDF enhancements	, ,	
LK-104 v3	Provides voice guidance functions	
Voice guidance		
LK-105 v4	Searchable PDF	
OCR text recognition		
LK-106	Supports native barcode printing	
Barcode fonts		
LK-107	Supports native Unicode printing	
Unicode fonts		
LK-108	Supports native OCR A and B font printing	
OCR A and B fonts		
LK-110 v2 Enhanced	Generates various file formats incl. DOCX, XLSX and combines	
image support	LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)	
LK-111	Print data compression for reduced network impact	
ThinPrint® Client		
LK-114 Universal	Supports server-less ubiquitous printing	
print function	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
MK-602 Mount kit	Installation kit required for FS-533	
MK-735 Mount kit	Installation kit for ID card reader	
OC-514 Original cover	Cover instead of auto document feeder	
PC-113	5.5" x 8.5" to 11" x 17", 500 sheets, 60-220 gsm	
Universal tray (x1)		
PC-213	5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 60-220 gsm	
Universal tray (x2)	0.5114411.0.500.1400.000	
PC-413	8.5" x 11", 2,500 sheets, 60-220 gsm	
Large capacity tray	0/0 hala assabias astausitabias	
PK-519 Punch kit	2/3-hole punching, autoswitching	
for FS-533	2/2 hala nunching autoquitahing	
PK-520 Punch kit for FS-534	2/3-hole punching, autoswitching	
RU-514 Relay unit	Required for installation of FS-534	
UK-212 Wireless LAN	Wireless LAN to network connector	
	Authentication device placement	
WT-506 Working table		

Note: Not all options may be available at time of launch.



